



Statement of Volatility

Impika iPrint Print Engine

Copyright 2006, 2008, 2009, 2010, 2011, 2013 Xerox Corporation

Copyright protection claimed includes all forms and matters of copyrighted material and information now allowed by statutory or judicial law or hereinafter granted, including without limitation, material generated from the software programs that are displayed on the screen such as styles, templates, icons, screen displays, looks, etc.

XEROX®, The Document Company® and all Xerox product names and product numbers mentioned in this publication are trademarks of XEROX CORPORATION. All non-Xerox brands and product names may be trademarks or registered trademarks of the respective companies, and are hereby acknowledged.

Product appearance, build status and/or specifications are subject to change without notice.

Statement of Volatility

Impika iPrint Print Engine

Notice

This document describes the locations, capacities and contents of volatile and non-volatile memory devices within the Impika iPrint Print Engine.

The context of the information in this document is that normal means of access or data extraction are being attempted in order to reproduce, read, or extract stored or latent data. This does not include attempts to reproduce, read or extract data or reverse engineer storage methods by individuals or organizations with advanced skills or through the use of extraordinary resources and measures or specialty equipment not normally available in the industry or to the public.

The content of this document is provided for information purposes only. Performance of the products referenced herein is exclusively subject to the applicable Xerox Corporation terms and conditions of sale and/or lease. Nothing stated in this document constitutes the establishment of any additional agreement or binding obligations between Xerox Corporation and any third party.

This evaluation and summary was performed by:

Signature	
Printed Name	Philippe Sarra-bournet
Job Title	Technologies and Applications Director Impika
Preparation Date	December 15, 2013

This evaluation and summary was certified by:

Signature	
Printed Name	Ralph H. Stoos Jr.
Job Title	Technical Program Manager
Job Function	Product Security Office
Preparation Date	December 15, 2013

Statement of Volatility

Impika iPrint Print Engine

Introduction

The Impika iPrint Print Engine is used to perform the following tasks:

- High Speed Production Printing

The Impika iPrint Print Engine consists of:

- Print Engine

- Print Station Interface Platform

- Feeder Modules

- Finishing Modules

These modules provide the basic configuration. Depending on what is purchased, the number and types of feeders and finishers can change.

The engine can be connected to one of the following:

- Xerox FreeFlow® Print Server

In each of these cases, the Statement of Volatility or Security Whitepaper containing volatility information regarding these Print Servers will be contained in a separate document.

This document describes the amounts and types of memory contained in the device in an easy to read tabular format. To allow security issues to be addressed as needed, specific commentary has been included about job data and where Personally Identifiable Information (PII) can be found in the system.

The information contained in this document has been verified at the time the product is released for sale. Manufacturing process changes may require that memory amounts are increased but, the purpose or contents of the memory should not change.

General Memory Information

Volatile Memory

All volatile memory listed is cleared after power is removed (decay occurs generally within 20 seconds at room temperature).

All volatile memory listed is required for normal system operation and during service and diagnostic procedures.

Removal of any volatile memory will void the warranty.

Non-Volatile Memory

All non-volatile memory listed is required for normal system operation and during service and diagnostic procedures.

Removal of any non-volatile memory will void the warranty.

None of the non-volatile memory in the system can be accessed by accidental keystrokes.

Print Engine (Marking Module) Descriptions

The data tables below detail the information regarding the volatile and non-volatile memory contained in the Impika iPrint Print Engine.

The Print Station Interface Platform is a PC-type motherboard. It is equipped with a BIOS, main RAM and Video memory.

Volatile Memory Description				
Type (SRAM, DRAM, etc)	Size	User Modifiable (Y/N)	Function or Use	Process to Clear:
SDRAM	2GB	N	Executable code	Power Off System
SDRAM	2GB	N	Executable code	Power Off System
SDRAM	2GB	N	Executable code	Power Off System
SDRAM	512MB	N	Video Memory	Power Off System

Non-Volatile Memory Description				
Type (Flash, EEPROM, etc)	Size	User Modifiable (Y/N)	Function or Use	Process to Clear:
EEPROM	32MB	N	System BIOS	Diagnostic

Hard Drive Information

The data table below details the hard disk information for the Impika iPrint Print Engine .

Hard Disk Description					
Drive / Partition (System, Image):	Removable Y / N	Size:	User Modifiable: Y / N	Function:	Process to Clear:
System	Yes*	120GB	N with normal operation	Operating System	Diagnostic Procedure
Data	Yes*	500GB	N with normal operation	Jobs	Diagnostic Procedure
Additional Information: The system disk contains Windows 7 Operating System and stores executables, fonts, and settings files. During normal operation, job files do not remain stored on this disk, but on the data one.					

* Can be removed when system is offline.

Feeder and Finisher Module Descriptions

The text below details the information regarding the volatile and non-volatile memory contained in the Impika iPrint Print Engine supported Feeders and Finishers. This document lists the available options. Depending on the configuration purchased, your system will contain on or more of these devices. **NOTE: None of these devices store any job data in electronic form.**

Base roll to roll Systems

Manufacturer	Type	Model	Availability
Hunkeler	Roll to roll	UW6-R /RW6-R	NA& EU
Hunkeler	Roll to roll	UW6-R /RW6-Rop 250	NA& EU
Hunkeler	Roll to roll	UW7 / RW7 max 220	EU only
LMRS	Roll to roll	UW550 - RW555	NA& EU
Matti	Roll to roll	TU5020/ TR5020	EU only
Kern	Roll to roll	K100/ K110	EU only
Kern	Roll to roll	K100 RF /K110 RF	EU only
GIC	Roll to roll	D / 520 s + R/520s	EU only

Base roll to fold Systems

Manufacturer	Type	Model	Availability
Hunkeler	Fan Folder Stacker	FS6	NA& EU
LMRS	Folder	F5-LX590	EU only
LMRS	Folder	RS 92 + VST 192	NA& EU
Matti	Folder	CF20	EU only

Base roll to cut/stack System

Manufacturer	Type	Model	Availability
Hunkeler	Base roll to cut stack	VU6/WB6 /LC6/CS6-I/LS6/TBS	NA& EU
Hunkeler	Base roll to cut stack	VU6/WB6/LC6/CS6-II /LS6/TBS	NA& EU
Hunkeler	Base roll to cut stack 660mm	VU7/WB7/LC7/CS7-I/LS7/TBS7	EU only
LMRS	Base roll to cut stack	b20/c20-/s30/conveyor	NA& EU
LMRS	Base roll to cut stack	B530/c23 /s30/ conveyor	NA& EU
Matti	Cutter	Sheet Runnar/520-S	EU only

Slit/ Merge

Manufacturer	Type	Model	Availability
Hunkeler	slit/merge	WM6	NA& EU
LMRS	slit/merge	m20 - LX735	NA& EU

Dynamic Perforation

Manufacturer	Type	Model	Availability
Hunkeler	Dynamic Perf	DP6 I/II	NA& EU
LMRS	Dynamic Perf	Tecna TC1550FL2/3	NA& EU